

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	("20050114285" or "20040030954" or "20030144988" or "20030079078" or "20030009464" or "20020111887" or "6925468" or "6789115" or "6714979" or "6631402" or "6571285" or "6411974" or "6393422" or "6377955" or "6341286" or "6333931" or "6292801" or "6094684" or "5909544" or "5778377" or "5721903");pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:55
L2	7	1 and log adj3 (data and file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:45
L3	5	2 and log adj records!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:14
L4	4	3 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:20
L5	0	1 and record adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:22
L6	48	log adj record adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:26
L7	18	6 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:33
L8	674	log adj3 (data and file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:26

L9	272	8 and log adj records!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:26
L10	51	9 and ((log adj record adj type) or (record adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:29
L11	8	1 and report near9 (log adj2 (data or file or record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:30
L12	5	1 and log adj2 (data and file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:31
L13	5	12 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:32
L14	3	12 and (database or (data adj base)) with log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:34
L15	1	14 and log with report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:33
L16	23	1 and (translat\$6 or convert\$6 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:35
L17	16	16 and (database or (data adj base)) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:36
L18	2709620	(translat\$6 or convert\$6 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:42

L19	17018	18 and (database or (data adj base)) and log and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:36
L20	909	19 and (populat\$6 or pars\$4) near2 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:51
L21	150	20 and reports! same log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:38
L22	139	21 and report same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:37
L23	129	21 and reports! same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:37
L24	119	21 and report with (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:43
L25	87	24 and report with log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:38
L26	82	25 and (format\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:39
L27	37	26 and ((report or log).ti. or (report or log).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:43
L28	3350	(translat\$6 or convert\$6 or conversion) adj6 log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:44

L29	386	28 and ((report or log).ti. or (report and log).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:43
L30	12	29 and report with (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:43
L31	168	((translat\$6 or convert\$6 or conversion) adj6 log) adj10 (format\$6 or (database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:10
L32	34	31 and log adj2 (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:51
L33	22	32 and report\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:51
L34	12	33 and (populat\$6 or pars\$4) and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:52
L35	21	33 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:16
L36	7	35 and (type near2 (log or record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:54
L37	44	("20050114285" or "20040030954" or "20030144988" or "20030079078" or "20030009464" or "20020111887" or "6925468" or "6789115" or "6714979" or "6631402" or "6571285" or "6411974" or "6393422" or "6377955" or "6341286" or "6333931" or "6292801" or "6094684" or "5909544" or "5892917" or "5778377" or "5721903").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:55

L38	13	37 and record and log and (database or (data adj base)) and (convert\$5 or conversion) and report\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:59
L39	6	38 and (gui or (graphical adj2 interface)) with report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:02
L40	8	38 and select\$6 near6 report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:02
L41	20	1 and select\$6 near6 report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:08
L42	7	1 and log adj (record and file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:08
L43	2	42 and (convert\$6 or conversion) adj6 log) and (format\$6 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:13
L44	2	42 and (convert\$6 or conversion) adj6 log) and ((database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:11
L45	6	42 and (convert\$6 or conversion) and format\$6 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:12
L46	15	((convert\$6 or conversion) adj2 log) adj20 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:16
L47	4	46 and log adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:16

L48	4	47 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:16
L49	36	((convert\$6 or conversion) adj2 log) same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:17
L50	7	49 and log adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:18
L51	64	((convert\$6 or conversion) near2 log) same (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:18
L52	26	((convert\$6 or conversion) near2 log) adj20 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:18
L53	4	52 and log adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:18
L54	13	52 and log adj (file or data or record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:21
L55	100	("5684382" "4393459" "4486830" "4593380" "4772800" "4815014" "4847775" "4884025" "5008812" "5229952" "5233688" "5387822" "5404466" "5424953" "5504856" "5555876" "5557766" "5642483" "5706425" "5751579" "5875291" "5896024" "5898290" "5923917" "5997166" "6024477" "6041342" "6154008" "6154702" "6349321" "6462513" "6492828" "4438403" "5455499" "5515028" "5955909" "4251770" "4427620" "4490666" "4604613" "4914393" "5216328" "5220311" "5313647" "5351597" "6163659" RE30821 "4374308" "4375617" "4424512").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	435	log adj2 (file and record and data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:49
L2	119	1 and (database or (data adj base)) and ((creat\$6 or generat\$6 or build\$6 or construct\$6) near3 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:13
L3	112	1 and (database or (data adj base)) and ((creat\$6 or generat\$6 or build\$6 or construct\$6) near3 report) and (GUI or (graphic\$6 adj2 interface) witt reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:26
L4	46	3 and (convert\$6 or conversion or translat46 or transform\$7) adj6 (file or log or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:20
L5	137	(convert\$6 or conversion or translat46 or transform\$7) adj6 (log) adj9 format\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:23
L6	2	5 and (comma adj separat\$6 adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:22
L7	3	5 and ((comma adj separat\$6 adj value) or (csv adj file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:41
L8	2	(convert\$6 or conversion or translat46 or transform\$7) adj6 (log) adj9 format\$7 adj9 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:24
L9	7308	(convert\$6 or conversion or translat46 or transform\$7) near5 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:39

L10	16	9 and log adj (file and record and data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:25
L11	0	10 and (database or (data adj base)) and ((creat\$6 or generat\$6 or build\$6 or construct\$6) near3 report) and (GUI or (graphic\$6 adj2 interface) with reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:27
L12	38	1 and (database or (data adj base)) and ((creat\$6 or generat\$6 or build\$6 or construct\$6) near3 report) and (GUI or (graphic\$6 adj2 interface) with reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:33
L13	19	12 and data adj (type or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:34
L14	58	1 and (database or (data adj base)) and (GUI or (graphic\$6 adj2 interface) with reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:43
L15	10	14 and data adj (types! and elements!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:34
L16	4	14 and (convert\$6 or conversion or translat46 or transform\$7) near5 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:35
L17	32	1 and (convert\$6 or conversion or translat46 or transform\$7) near5 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:42
L18	2	17 and (database or (data adj base)) and (GUI or (graphic\$6 adj2 interface)) and reports!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:40
L19	4	1 and ((comma adj separat\$6 adj value) or (csv adj file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:41

L20	219	((comma adj separat\$6 adj value) or (csv adj file)) and log and reports! and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:43
L21	6	20 and (convert\$6 or conversion or translat46 or transform\$7) near5 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:44
L22	16202	log and reports! and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:43
L23	358	22 and (database or (data adj base)) and ((GUI or (graphic\$6 adj2 interface)) with reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:50
L24	3	20 and (convert\$6 or conversion or translat46 or transform\$7) adj4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:49
L25	618	log adj (file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:54
L26	22	25 and (convert\$6 or conversion or translat46 or transform\$7) adj4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:53
L27	0	26 and (database or (data adj base)) and ((GUI or (graphic\$6 adj2 interface)) with reports!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:50
L28	21	26 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:56
L29	139477	reports!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:50

L30	8	28 and reports!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:05
L31	3	25 and (convert\$6 or conversion or translat46 or transform\$7) adj (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 07:54
L32	1231	(convert\$6 or conversion or translat46 or transform\$7) adj (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:05
L33	3	32 and log adj (file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:03
L34	3	33 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:03
L36	2	"5909544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:02
L37	0	"5909544."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:02
L38	2	"5909544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:02
L39	2	38 and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:04
L40	0	39 and log adj (file and record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:03

L41	1	39 and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:03
L42	1	41 and reports!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:03
L43	18132	(database or (data adj base)) same log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:04
L44	69	43 and (convert\$6 or conversion or translat46 or transform\$7) adj (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:05
L45	31	44 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:05

L10	25	9 and (log or report\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:55
L11	1344	1 and (database or (data adj base)) same (log or report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:01
L12	609	11 and (convert\$6 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:55
L13	36	12 and (log or report\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:02
L14	0	12 and (log and report\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:55
L15	5	12 and (log and report\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 08:55
L16	89	1 and (database or (data adj base)) same (log or report) same (convert\$6 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:01
L17	65	1 and (database or (data adj base)) same (log) same (convert\$6 or conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:03
L18	6	17 and (log or report\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:02
L19	34	((convert\$5 or conversion) adj3 log) with (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:08

L20	18	19 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:06
L21	40	1 and (convert\$5 or conversion) adj3 log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:11
L22	0	21 and populat\$6 adj8 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:11
L23	60	1 and populat\$6 adj8 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:11
L24	19	23 and (convert\$5 or conversion) and log and report	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:12